



PROPOSED FOUL DRAINAGE LAYOUT
SCALE 1:250 @ A3

FOUL SEWER TABLE									
Sewer Ref.	US/CL m	US/IL m	DS/IL m	Length m	Grad 1 in	Di mm	Cover to US Soffit m	Notes	
F1.0	F1.1	4.200	3.300	3.223	4.6	60	0.750	**	IC
F1.1	F1.2	4.200	3.223	3.168	4.4	80	0.827	**	IC
F1.2	F1.3	4.200	3.168	3.102	5.3	80	0.882	**	IC
F1.3	F1.4	4.200	3.102	2.800	24.1	80	0.948	**	MH
F1.4	Ex MH	4.190	2.800	2.746	4.3	80	1.240	-	MH
F2.0	F2.1	4.200	3.102	3.041	4.9	80	0.948	**	MH
F2.1	F2.2	4.200	3.041	2.901	11.2	80	1.009	**	MH
F2.2	F1.4	4.200	2.901	2.800	8.1	80	1.149	**	MH

** DENOTES PIPE RUNS WHICH REQUIRE CONCRETE PROTECTION, BD DENOTES BACKDROP MANHOLE, AJ DENOTES ARMSTRONG JUNCTION, IC DENOTES INSPECTION CHAMBER, MH DENOTES MANHOLE, AS PER DETAILS ON DRAWING 191018/C/030

Issue Register				
No.	Date	Description	Drawn	Checked/Approved
PL1	26/06/20	PLANNING ISSUE	MT	MJP

GENERAL NOTES:-

- THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTS & ENGINEERS DRAWINGS & SPECIFICATIONS.
- DO NOT SCALE. USE FIGURED DIMENSIONS ONLY.
- THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS & ELEVATIONS WITH ARCHITECTURAL DRAWINGS PRIOR TO START OF CONSTRUCTION. ALL DISCREPANCIES TO BE NOTIFIED, IN WRITING TO ENGINEERS & ARCHITECTS FOR RESOLUTION.
- ALL DIMENSIONS ON DRAWINGS ARE IN MILLIMETRES UNLESS OTHERWISE NOTED.

ALL SETTING OUT DIMENSIONS TO BE CHECKED AGAINST ARCHITECTS DRAWINGS. ARCHITECTS DRAWINGS TO TAKE PRECEDENCE.

DRAWING NOTES:-

REFER TO NOTES TEMPLATE

ABBREVIATIONS:-

- BTM BOTTOM CENTRE TO CENTRE
- C/C CENTRES
- CTRS STRUCTURAL FLOOR LEVEL
- SFL FINISHED FLOOR LEVEL
- FFL TOP OF CONCRETE
- TOC TOP
- TP TOP OF STEEL
- TOS UNLESS NOTED OTHERWISE
- UNO

GENERAL LEGEND:-

- DENOTES SITE BOUNDARY
- ▭ DENOTES EXISTING BUILDING
- ▭ DENOTES PROPOSED BUILDING
- 54.04 + FFL +0.000m DENOTES EXISTING SITE LEVELS
- +1.000m DENOTES FINISHED FLOOR LEVEL
- DENOTES PROPOSED GROUND LEVEL

FOUL LEGEND:-

- EXT --- DENOTES EXISTING FOUL SEWER RUN & MANHOLE
- DENOTES EXISTING FOUL SEWER RUN & MANHOLE TO BE GRUBBED UP
- F1.4 --- DENOTES PROPOSED FOUL SEWER & AJ/INSPECTION CHAMBER/MANHOLE
- F1.4 --- DENOTES PROPOSED FOUL SEWER & BACKDROP MANHOLE

comhairle chontae na mí
meath county council

PLANNING

Client: MEATH COUNTY COUNCIL
Project: BETTYSTOWN LIBRARY SEAVIEW TERRACE, BETTYSTOWN
Drawing Title: **PROPOSED FOUL DRAINAGE LAYOUT**
Project No: 191018
Drawing No: 191018/C/003
Scale @ A3: 1:250 @ A3
Rev: PL1
Date: 30/04/20

Martin Peters Associates
Consulting Engineers
Ormeau Road, Ashlyon, Wick, Ireland
T: +353 56 7702761
F: +353 56 7702728
E: info@mpa.ie
W: www.mpa.ie