


revision details

A 07/02/22 ISSUED FOR PLANNING

B 11/09/23 ISSUED FOR PART 8 APPLICATION

NOTES:

- BLISTER TACTILE SURFACES AND DROP (DISHED) RAMPS SHALL BE PROVIDED AT BOTH CONTROLLED AND UNCONTROLLED CROSSING POINTS.
- 2. DROP (DISHED) RAMP DETAILS TO COMPLY WITH DIAGRAM 13.1, "TRAFFIC MANAGEMENT GUIDELINES" BY DOT.
- 3. TACTILE PAVING TO COMPLY WITH CLAUSE 13.3, "TRAFFIC MANAGEMENT GUIDELINES" BY DOT.
- 4. AT UNCONTROLLED CROSSINGS THE TACTILE PAVING SURFACE SHALL BE CONSTRUCTED OF BUFF OR GRAY (OTHER THAN RED) BLISTER TILES AS PER TII CC-SCD-05014.
- 5. THE BACK EDGE OF THE TACTILE SURFACE SHOULD BE AT RIGHT ANGLES TO THE DIRECTION OF CROSSING. THIS MAY NOT NECESSARILY BE PARALLEL TO THE KERB.
- 6. AT CONTROLLED CROSSINGS THE TACTILE PAVING SURFACE SHALL BE CONSTRUCTED OF ONLY RED BLISTER TILES AS PER TILL CC—SCD—05024.



TYPICAL TACTILE PAVING DETAILS SCALE 1:50

PAVEMENT CONSTRUCTION LAYERS
HOT ROLLED ASPHALT WITH COLOURED CHIPS
40MM OF 10MM AC SURFACE COURSE CLOSE SURF 70/100 DES,
ON 60MM OF 20MM DBM BINDER COURSE 40/60 DES.

THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER DCE DRAWINGS



Second Floor, Avenue Road Centre Dundalk, Co. Louth, A91 FT92 Ireland Tel.: +353 42 935 1600 Fax: +353 42 935 1601 E-mail: info@dce.ie Web: www.dce.ie

Client:

MEATH COUNTY COUNCIL



comhairle chontae na r

Job Title:

ENFIELD - TOWN CENTRE PARKING

Drawing Title: TYPICAL PEDESTRIAN RAISED CROSSING AND TACTILE PAVING DETAILS

Scale:	1:50@A3	Dwg no:	C08
Drawn by:	KK	Job no.:	4456
Checked by	GJB	Rev. no.:	В
File no · 4	456 C08	Date:	07/02/22